

1/29





FIG. 1

2/29

FIG. 2



3/29




FIG. 3

4/29




FIG. 4

5/29




FIG. 5




FIG. 6

7/29




FIG. 7

8/29




FIG. 8



9/29




FIG. 9

10/29

10A 10B

FIG. 10




FIG. 10A

11/29





FIG. 10B

12/29


FIG. 11



12A 12B

FIG. 12

13/29






FIG. 12B




FIG. 13

16/29




FIG. 14



17/29




FIG. 15A

18/29




FIG. 15B

19/29




FIG. 16

1700

<i>NodeID</i>	<u>1710</u>
<i>LinkCost</i>	<u>1720</u>
<i>QoS3Capacity</i>	<u>1730</u>
<i>QoS4Capacity</i>	<u>1740</u>
<i>HelloInterval</i>	<u>1750</u>
<i>TimeoutInterval</i>	<u>1760</u>

FIG. 17

20/29




FIG. 18

21/29

1900

<i>Zero-byte</i>	<u>1905</u>	<i>LSA count</i>	<u>1910</u>	1920
	<i>Node ID</i>		<u>1930(1)</u>	
	<i>Node ID</i>		<u>1930(2)</u>	
	• • • • •			
	<i>Node ID</i>		<u>1930(N-1)</u>	
	<i>Node ID</i>		<u>1930(N)</u>	

FIG. 19

22/29

↙ 2000

<i>VPID</i>		<u>2010</u>	Path 2050
<i>Checksum</i>		<u>2020</u>	
<i>PathLength</i>	<u>2030</u>	<i>HopCount</i>	
<i>Hop</i>		<u>2060(1)</u>	
<i>Hop</i>		<u>2060(2)</u>	
<i>Hop</i>		<u>2060(N)</u>	

FIG. 20

23/29

↙ 2100

<i>VPID</i>		<u>2110</u>	<i>Path</i> [ 2150
<i>Checksum</i>		<u>2121</u>	
<i>PathLength</i>	<u>2130</u>	<i>HopCount</i>	
<i>Hop</i>		<u>2160(1)</u>	
<i>Hop</i>		<u>2160(2)</u>	
<i>Hop</i>		<u>2160(N)</u>	

FIG. 21

24/29




FIG. 22



25/29




FIG. 23

26/29




FIG. 24

27/29




FIG. 25

28/29




FIG. 26

29/29




FIG. 27